

Powered by Confident Cannabis

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740 Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor





28.053%

Total Cannabinoids

23.625% Total THC 1.075%

Total CBD

Not Tested

Not Tested

NT

Moisture

NT

Water Activity

Complete

Cannabinoids

Analyte	LOQ	Mass	Mass
	 %	%	mg/g
CBDa	0.035	1.137	11.37
CBD	0.035	0.079	0.79
Δ9 ΤΗС	0.053	0.715	7.15
THCa	0.053	26.123	261.23
Total		28.053	280 53

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



Quain noan

Dwain Irvan
Chief Scientific Officer (CSO)

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receiving.



Powered by Confident Cannabis

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740 Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor



Microbials Pass



BACTERIA (STATE-MANDATE	D) Result	Status
E. Coli	Not Detected in 1g	Pass
Salmonella	Not Detected in 1g	Pass

FUNGI (STATE-MANDATED)	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass

BACTERIA (ELECTIVE)	Result
Listeria	NR
Pseudomonas aeruginosa	NR
Staphylococcus aureus	NR
Patogenic E. coli - STX 1 gene	Not Detected in 1g
Pathogenic E. coli - STX 2 gene	Not Detected in 1g

Date Tested: 11/27/2020 12:00 amNR = No Result; NT = Not Tested; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



Wain hoar

Dwain Irvan Chief Scientific Officer (CSO) Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receipt.



Powered by Confident Cannabis

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740 Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor



Pesticides Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.008	0.500	<loq< td=""><td>Pass</td><th>Metalaxyl</th><td>0.005</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Metalaxyl	0.005	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Acephate	0.006	0.400	ND	Pass	Methiocarb	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	0.031	2.000	<loq< td=""><td>Pass</td><th>Methomyl</th><td>0.006</td><td>0.400</td><td>ND</td><td>Pass</td></loq<>	Pass	Methomyl	0.006	0.400	ND	Pass
Acetamiprid	0.003	0.200	<loq< td=""><td>Pass</td><th>Myclobutanil</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Myclobutanil	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb	0.006	0.400	<loq< td=""><td>Pass</td><th>Naled</th><td>0.008</td><td>0.500</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Naled	0.008	0.500	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin	0.003	0.200	<loq< td=""><td>Pass</td><th>Oxamyl</th><td>0.016</td><td>1.000</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Oxamyl	0.016	1.000	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	0.003	0.200	<loq< td=""><td>Pass</td><th>Paclobutrazol</th><td>0.006</td><td>0.400</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Paclobutrazol	0.006	0.400	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	0.003	0.200	<loq< td=""><td>Pass</td><th>Permethrin (total)</th><td></td><td>0.200</td><td>0.004</td><td>Pass</td></loq<>	Pass	Permethrin (total)		0.200	0.004	Pass
Boscalid	0.006	0.400	<loq< td=""><td>Pass</td><th>cis Permethrin</th><td>0.001</td><td></td><td>0.002</td><td>Tested</td></loq<>	Pass	cis Permethrin	0.001		0.002	Tested
Carbaryl	0.003	0.200	<loq< td=""><td>Pass</td><th>Trans Permethrin</th><td>0.024</td><td></td><td><loq< td=""><td>Tested</td></loq<></td></loq<>	Pass	Trans Permethrin	0.024		<loq< td=""><td>Tested</td></loq<>	Tested
Carbofuran	0.003	0.200	<loq< td=""><td>Pass</td><th>Phosmet</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Phosmet	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.003	0.200	<loq< td=""><td>Pass</td><th>Piperonyl Butoxide</th><td>0.002</td><td>2.000</td><td>0.007</td><td>Pass</td></loq<>	Pass	Piperonyl Butoxide	0.002	2.000	0.007	Pass
Chlorpyrifos	0.003	0.200	<loq< td=""><td>Pass</td><th>Prallethrin</th><td>0.003</td><td>0.200</td><td>0.006</td><td>Pass</td></loq<>	Pass	Prallethrin	0.003	0.200	0.006	Pass
Clofentezine	0.003	0.200	<loq< td=""><td>Pass</td><th>Propiconazole</th><td>0.006</td><td>0.400</td><td>0.008</td><td>Pass</td></loq<>	Pass	Propiconazole	0.006	0.400	0.008	Pass
Daminozide	0.016	1.000	<loq< td=""><td>Pass</td><th>Propoxur</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Propoxur	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.003	0.200	<loq< td=""><td>Pass</td><th>Pyrethrin (total)</th><td></td><td>1.000</td><td>0.011</td><td>Pass</td></loq<>	Pass	Pyrethrin (total)		1.000	0.011	Pass
Dichlorvos	0.005	0.100	0.007	Pass	Cinerin 1	0.001		0.004	Tested
Dimethoate	0.003	0.200	<loq< td=""><td>Pass</td><th>Jasmolin 1</th><td>0.000</td><td></td><td>0.004</td><td>Tested</td></loq<>	Pass	Jasmolin 1	0.000		0.004	Tested
Ethoprophos	0.003	0.200	<loq< td=""><td>Pass</td><th>Pyrethrin 1</th><td>0.009</td><td></td><td><loq< td=""><td>Tested</td></loq<></td></loq<>	Pass	Pyrethrin 1	0.009		<loq< td=""><td>Tested</td></loq<>	Tested
Etofenprox	0.006	0.400	<loq< td=""><td>Pass</td><th>Pyridaben</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Pyridaben	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	0.003	0.200	<loq< td=""><td>Pass</td><th>Spinosad (total)</th><td></td><td>0.200</td><td>ND</td><td>Pass</td></loq<>	Pass	Spinosad (total)		0.200	ND	Pass
Fenoxycarb	0.003	0.200	<loq< td=""><td>Pass</td><th>Spinosyn A</th><td>0.003</td><td></td><td>ND</td><td>Tested</td></loq<>	Pass	Spinosyn A	0.003		ND	Tested
Fenpyroximate	0.006	0.400	<loq< th=""><th>Pass</th><th>Spinosyn D</th><th>0.001</th><th></th><th>ND</th><th>Tested</th></loq<>	Pass	Spinosyn D	0.001		ND	Tested
Fipronil	0.006	0.400	ND	Pass	Spiromesifen	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	0.016	1.000	ND	Pass	Spirotetramat	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	0.006	0.400	ND	Pass	Spiroxamine	0.006	0.400	<loq< th=""><th>Pass</th></loq<>	Pass
Hexythiazox	0.001	1.000	0.003	Pass	Tebuconazole	0.006	0.400	<loq< td=""><td>Pass</td></loq<>	Pass
Imazalil	0.003	0.200	<loq< td=""><td>Pass</td><th>Thiacloprid</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Thiacloprid	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	0.006	0.400	<loq< td=""><td>Pass</td><th>Thiamethoxam</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Thiamethoxam	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Kresoxim Methyl	0.006	0.400	<loq< td=""><td>Pass</td><th>Trifloxystrobin</th><td>0.003</td><td>0.200</td><td><loq< td=""><td>Pass</td></loq<></td></loq<>	Pass	Trifloxystrobin	0.003	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Malathion	0.003	0.200	0.004	Pass					

Herbicides

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	_
Pendimethalin	0.025	0.100	<loq< th=""><th>Pass</th></loq<>	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



avair nou

Chief Scientific Officer (CSO)

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receipt.



Powered by Confident Cannabis 4 of 6

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740

Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor



Residual Solvents

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Propane	234.400	5000.000	ND	Pass
Butane	234.400	5000.000	ND	Pass
Methanol	234.400	3000.000	ND	Pass
Pentane	234.400	5000.000	ND	Pass
Ethanol	234.400	5000.000	ND	Pass
Ethyl Ether	234.400	5000.000	ND	Pass
Acetone	234.400	5000.000	ND	Pass
sopropanol	234.400	5000.000	ND	Pass
Acetonitrile	234.400	410.000	ND	Pass
Methylene Chloride	0.300	600.000	ND	Pass
n Hexane	234.400	290.000	ND	Pass
Ethyl <mark>Acetat</mark> e	234.400	5000.000	ND	Pass
Ethyl <mark>Benze</mark> ne	0.300	2.000	ND	Pass
1,2 Dichloro Ethane	0.300	1.000	ND	Pass
Heptane	234.400	5000.000	ND	Pass
Trichloroethene	0.300	1.000	ND	Pass
Toluene	234.400	890.000	ND	Pass
m/p Xylene	234.400	2170.000	ND	Pass
o Xvlene	234.400	2170.000	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



Chief Scientific Officer (CSO)

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receipt.



Powered by Confident Cannabis

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740

Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor



Heavy Metals

Analyte	Mass	LOQ	Limit	Status
	PPM	PPM	PPM	
Arsenic	ND	0.042	0.400	Pass
Cadmium	ND	0.036	0.400	Pass
Mercury	0.033	0.027	1.200	Pass
Lead	ND	0.051	1.000	Pass



11/04/2020 07:00 am
NOTE TESTING PERFORMED AT LONE PINE ANALITICAL. TESTING NOT ISO 17025 ACCREDITED

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



Dwain Irvan Chief Scientific Officer (CSO)

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receipt.



Powered by Confident Cannabis 6 of 6

High Grade Confidential

2340 E University Dr Phoenix, AZ 85034 jessica@highgradeaz.com (520) 780-7740 Sample: 2010PURE0567.5367

Strain: Rozay

Batch#: 07102120; Batch Size: g

Sample Received: 10/30/2020; Report Created: 12/03/2020

Rozay #5

Plant, Other, Indoor



Lone Pine Analytical Certificate of Analysis

Customer: Pure Labs

Contact: Barbara Dow 4165 W. Clarendon Ave.

Phoenix, AZ 85019

Analysis: Heavy Metals by ICP-MS
Method: IOP-001

 Method:
 IOP-001

 WO#:
 2010026

 Invoice #:
 4701

 Sample ID:
 0567.5367

 Matrix:
 Flower

 Received:
 Oct. 31, 2020 4:00 PM

 Tests Completed:
 Nov. 4, 2020 5:00 PM

 Report Created:
 Nov. 4, 2020 6:00 PM

Element	Unit	Concentration	Report Limits
Arsenic (As)	ppm	<0.042	0.042
Cadmium (Cd)	ppm	< 0.036	0.036
Mercury (Hg)	ppm	0.033	0.027
Lead (Pb)	ppm	< 0.051	0.051





2328 E. Van Buren Street Unit#102 Phoenix, AZ 85006 480-797-3353

David Luttrull, Ph.D. Lab Director ISO/IEC 17025:2017 Accredited

This product has been tested by Lone Pine Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Lone Pine Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds or elements reported herein. This Certificate shall not be reproduced except in full, without the written approval of Lone Pine Analytical.

4165 W Clarendon Avenue Phoenix, AZ (623) 334-9194 https://purelabsaz.com/ Lic# AT-2844



Wain now

Dwain Irvan Chief Scientific Officer Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Pure Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Pure Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pure Labs. Results apply to the sample as received. Instructions for making a complaint: Customers may file complaints via Confident Cannabis or by directing an email or phone call to the owner, the Chief Scientific Officer, or the Lab Manager. Pure Labs personnel must document any complaints received by phone through email follow-up. Customers must file complaints within 3 business days of receiving Pure Labs' test results. Pure Labs must respond to complaints within 3 business days of receiving.